

NY 002.000% REEDLITE PURPLE

Page 1

Substance key: 000000666367	Revision Date: 05/10/2017
Version : 1 - 1 / USA	Date of printing :01/20/2020

SECTION 1. IDENTIFICATION

Identification of the company:	MB, Dalton Plant, Holden Plant, Lewiston Plant 4000 Monroe Road Charlotte, NC, 28205 Telephone No.: +1 704-331-7000
	Information of the substance/preparation: BU Masterbatches Product Stewardship +1-704-331-7710
	Emergency tel. number: +1 800-424-9300(CHEMTREC)
Trade name: Material number:	NY 002.000% REEDLITE PURPLE AB4SAD
Synonyms:	CNY12049

Chemical family:	Colourant preparation Carrier: PA6
Primary product use:	Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200 Combustible dust

GHS label elements Signal word Hazard statements	:	Warning May form combustible dust concentrations in air.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243 Take precautionary measures against static discharge. P233 Keep container tightly closed.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation Carrier: PA6



NY 002.000% REEDLITE PURPLE

Page 2

Substance key: 000000666367	Revision Date: 05/10/2017
Version : 1 - 1 / USA	Date of printing :01/20/2020

Hazardous components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012 or the Canadian WHMIS 2015 Hazardous Products Regulations.

SECTION 4. FIRST AID MEASURES

lf inhaled	:	Move the victim to fresh air. Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention. Never give anything by mouth to an unconscious person.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. In case of burns apply cold water until pain subsides then seek medical advice. Burns must be treated by a physician. If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if irritation develops and persists.
If swallowed	:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/ attention.
Most important symptoms and effects, both acute and delayed	:	The possible symptoms known are those derived from the labelling (see section 2). No additional symptoms are known.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during	:	In case of fire hazardous decomposition products may be



NY 002.000% REEDLITE PURPLE

Page 3

Substance key: 000000666367	Revision Date: 05/10/2017
/ersion : 1 - 1 / USA	Date of printing :01/20/2020
firefighting	produced such as: Nitrogen oxides (NOx) Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Hydrogen sulfide (H2S) Sulphur oxides
Further information :	Combustible material In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment : for firefighters	Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.
SECTION 6. ACCIDENTAL RELEAS	E MEASURES
Personal precautions, : protective equipment and emergency procedures	Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Prevent product from entering drains.	Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent product from entering drains.
---------------------------------------	---------------------------	---	---

Methods and materials for	:	Avoid dust formation.	
containment and cleaning up		Take measures to prevent the build up of electrostatic charge.	
		Sweep up and shovel into suitable containers for disposal.	
		Take up uncontaminated material and pass on for further	
		processing.	
		After cleaning, flush away traces with water.	

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Take measures to prevent the build up of electrostatic charge.
Advice on safe handling	:	 Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation/personal protection. For personal protection see section 8. Avoid contact with skin, eyes and clothing. Use only with adequate ventilation. When handling hot melts use suitable protective clothing. Avoid dust formation. Keep away from sources of ignition.



NY 002.000% REEDLITE PURPLE

Page 4

Substance key: 000000666367	Revision Date: 05/10/2017
Version : 1 - 1 / USA	Date of printing :01/20/2020
	Lead off electrostatic charges.
Conditions for safe storage :	Keep container tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from direct sunlight.
Technical : measures/Precautions	Store in a cool, dry, well-ventilated area. Keep container sealed when not in use. Keep in an area equipped with sprinklers. Minimize dust generation and accumulation.
Materials to avoid :	not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

no data available		
Engineering measures	:	Use only in area provided with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.
Personal protective equipment	nt	
Respiratory protection	:	Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated. Use respiratory protective equipment when using this product at elevated temperatures (see section 8).
Hand protection Remarks	:	Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Wear protective clothing, including long sleeves and gloves, to prevent skin contact. When handling hot melts use suitable protective clothing.
Hygiene measures	:	The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

NY 002.000% REEDLITE PURPLE

Page 5

Substance key: 000000666367 Version : 1 - 1 / USA	Revision Date: 05/10/2017 Date of printing :01/20/2020
Appearance	: Granules
Colour	: violet
Odour	: characteristic
Odour Threshold	: Not applicable
рH	: Not applicable
Melting point	: > 220 °C
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not determined
Self-ignition	: Not applicable
Upper explosion limit	: not tested.
Lower explosion limit	: not tested.
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: not available
Density	: not tested.
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: This property is not applicable for mixtures.
Decomposition temperature	: To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: no data available no data available





NY 002.000% REEDLITE PURPLE

Page 6

Substance key: 000000666367		Revision Date: 05/10/2017
Version : 1 - 1 / USA		Date of printing :01/20/2020
Oxidizing properties :	:	not available
Surface tension :	:	Not relevant
Particle size :	:	Product specific
SECTION 10. STABILITY AND READ	СТ	Ίνιτγ
Reactivity :	:	No dangerous reaction known under conditions of normal use.
Chemical stability :	:	Stable
Possibility of hazardous : reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid :	:	To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials :	:	Strong acids and strong bases Acids
Hazardous decomposition : products	:	No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure None known. Skin corrosion/irritation <u>Product:</u> Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Result: non-sensitizing



NY 002.000% REEDLITE PURPLE

Page 7

ostance key: 000000666367 sion : 1 - 1 / USA	Revision Date: 05/10/20 Date of printing :01/20/20
SIGH . 1 - 17 USA	Date of printing .01/20/20
Carcinogenicity	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Experience with human expe	osure
Product:	
General Information	: The possible symptoms known are those derived from the labelling (see section 2).
TION 12. ECOLOGICAL INFO	RMATION
Ecotoxicity	
Product:	
•	: Remarks: no data available
Product: Toxicity to fish Persistence and degradabili	
Product: Toxicity to fish Persistence and degradabili no data available	
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential	
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product:	ty
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential	
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product:	ty
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product: Bioaccumulation	ty
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product: Bioaccumulation Mobility in soil	ty
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product: Bioaccumulation Mobility in soil Product: Distribution among	ty : Remarks: not tested.
Product: Toxicity to fish Persistence and degradabili no data available Bioaccumulative potential Product: Bioaccumulation Mobility in soil Product: Distribution among environmental compartments	ty : Remarks: not tested.
Product: Toxicity to fishPersistence and degradabili no data availableBioaccumulative potential Product: BioaccumulationMobility in soil Product: Distribution among environmental compartmentsOther adverse effects	ty : Remarks: not tested.



NY 002.000% REEDLITE PURPLE

Page 8

Substance key: 000000666367	Revision Date: 05/10/2017
Version : 1 - 1 / USA	Date of printing :01/20/2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of this product in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

DOT	not restricted
ΙΑΤΑ	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc sulphide 1314-98-3 10.249 %

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories: TSCA : On TSCA Inventory

TSCA list

TSCA - 5(a) Significant New Use Rule List of Chemicals: No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D): No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -



NY 002.000% REEDLITE PURPLE

Page 9

Substance key: 000000666367	Revision Date: 05/10/2017
Version : 1 - 1 / USA	Date of printing :01/20/2020

Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Revision Date

: 05/10/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN